

Figure 1: Partitioned Host System




Figure 2: Partition Monitors




Figure 3: Partition Channels




Figure 4: Ultravisor Operations

Overlapped processor throttling – default 4 bit duty width ($1/16 = 6.25\%$)




Figure 5 : Processor Sharing




Figure 6 : Processor Schedule

$(2^{10})^n$	SI prefix	SI name	Page Table	Pageantry	IA32/EM32T
1	K	kilo	PKM	PKE	PT/PTE
2	M	mega	PMM	PME	PD/PDE
3	G	giga	PGM	PGE	PDP
4	T	tera	PTM	PTE	PML4
5	P	peta	PPM	PPE	
6	E	Exa	PEM	PEE	
7	Z	zetta	PZM	PZE	
8	Y	yotta	PYM	PYE	

Figure 7 : SI Prefixes for Page Table Hierarchy

Function GetMemoryOwner [T : 0..1023, G:0..1023, M:0..1023, K:0..1023] of Int32






Figure 8 : Partition Memory Map






Figure 11 : Ultravisor Domains




Figure 12 : Ultravisor Partition Agents




Figure 13 : Virtual Data Center Zones





Figure 14 : Data Center/Multiple Hosts



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.